Accelerated GSE Geometry B/Algebra II Curriculum Map								
1 st Semester					2 nd Semester			
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7	Unit 8	Unit 9
(5-6 weeks)	(3 – 4 weeks)	(3 – 4 weeks)	(2-3 weeks)	(2 – 3 weeks)	(3 – 4 weeks)	(4 – 5 weeks)	(3 – 4 weeks)	(3 – 4 weeks)
Circles and	Geometric and	Applications of	Quadratics	Operations	Polynomial	Rational &	Exponential &	Mathematical
Volume	Algebraic	Probability	Revisited	With	Functions	Radical	Logarithms	Modeling
	Connections			Polynomials		Relationships		
MGSE9-12.G.C.1	MGSE9-12.G.GPE.1	MGSE9-12.S.CP.1	MGSE9-12.N.CN.1	MGSE9-12.A.APR.1	MGSE9-12.N.CN.9	MGSE9-12.A.APR.7	MGSE9-12.A.SSE.3	MGSE9-12.A.SSE.4
MGSE9-12.G.C.2	MGSE9-12.G.GPE.4	MGSE9-12.S.CP.2	MGSE9-12.N.CN.2	MGSE9-12.A.APR.5	MGSE9-12.A.SSE.1	MGSE9-12.A.CED.1	MGSE9-12.A.SSE.3c	MGSE9-12.A.CED.1
MGSE9-12.G.C.3	MGSE9-12.G.GPE.5	MGSE9-12.S.CP.3	MGSE9-12.N.CN.3	MGSE9-12.A.APR.6	MGSE9-12.A.SSE.1a	MGSE9-12.A.CED.2	MGSE9-12.F.IF.7	MGSE9-12.A.CED.2
MGSE9-12.G.C.4	MGSE9-12.G.GPE.6	MGSE9-12.S.CP.4	MGSE9-12.N.CN.7	MGSE9-12.F.BF.1	MGSE9-12.A.SSE.1b	MGSE9-12.A.REI.2	MGSE9-12.F.IF.7e	MGSE9-12.A.CED.3
MGSE9-12.G.C.5	MGSE9-12.G.GPE.7	MGSE9-12.S.CP.5	MGSE9-12.N.CN.8	MGSE9-12.F.BF.1b	MGSE9-12.A.SSE.2	MGSE9-12.F.IF.4	MGSE9-12.F.IF.8	MGSE9-12.A.CED.4
MGSE9-12.G.GMD.1	MGSE9-12.G.MG.1	MGSE9-12.S.CP.6	MGSE9-12.A.REI.4	MGSE9-12.F.BF.1c	MGSE9-12.A.APR.2	MGSE9-12.F.IF.5	MGSE9-12.F.IF.8b	MGSE9-12.A.REI.11
MGSE9-12.G.GMD.2	MGSE9-12.G.MG.2	MGSE9-12.S.CP.7	MGSE9-12.A.REI.4b	MGSE9-12.F.BF.4	MGSE9-12.A.APR.3	MGSE9-12.F.IF.7	MGSE9-12.F.BF.5	MGSE9-12.F.IF.6
MGSE9-12.G.GMD.3	MGSE9-12.G.MG.3		MGSE9-12.N.RN.1	MGSE9-12.F.BF.4a	MGSE9-12.A.APR.4	MGSE9-12.F.IF.7b	MGSE9-12.F.LE.4	MGSE9-12.F.IF.9
MGSE9-12.G.GMD.4			MGSE9-12.N.RN.2	MGSE9-12.F.BF.4b	MGSE9-12.F.IF.4	MGSE9-12.F.IF.7d		MGSE9-12.F.BF.3
				MGSE9-12.F.BF.4c	MGSE9-12.F.IF.7			
					MGSE9-12.F.IF.7c			

These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units.

All units will include the Mathematical Practices and indicate skills to maintain.

Prioritized Standards are noted in RED

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics. Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension, MG = Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

Accelerated GSE Geometry B/Algebra II Expanded Curriculum Map – 1 st Semester					
Standards for Mathematical Practice					
1 Make sense of problems and persevere in solving them. 5 Use appropriate tools strategically.					
2 Reason abstractly and quantitatively.		6 Attend to precision.			
3 Construct viable arguments and critique the re	asoning of others	7 Look for and make use of structure.			
4 Model with mathematics.	usoning of outers.	8 Look for and express regularity in repeated rea	asoning		
• Woder with mattematics.	1st So.	nester	asoning.		
	1" Sei				
Unit 1 Unit 2		Unit 3	Unit 4		
Circles and Volume	Geometric and Algebraic	Applications of Probability	Quadratics Revisited		
	Connections				
Understand and apply theorems about circles	Translate between the geometric description and	Understand independence and conditional	Perform arithmetic operations with complex		
MGSE9-12.G.C.1 Understand that all circles are	the equation for a conic section	probability and use them to interpret data	numbers.		
similar.	MGSE9-12.G.GPE.1 Derive the equation of a	MGSE9-12.S.CP.1 Describe categories of events as	MGSE9-12.N.CN.1 Understand there is a complex		
MGSE9-12.G.C.2 Identify and describe	circle of given center and radius using the	subsets of a sample space using unions,	number i such that $i^2 = -1$, and every complex		
relationships among inscribed angles, radii, chords,	Pythagorean Theorem; complete the square to find	intersections, or complements of other events (or,	number has the form a + bi where a and b are real		
tangents, and secants. Include the relationship	the center and radius of a circle given by an	and, not).	numbers.		
between central, inscribed, and circumscribed	equation.	MGSE9-12.S.CP.2 Understand that if two events A	MGSE9-12.N.CN.2 Use the relation $i^2 = -1$ and the		
angles; inscribed angles on a diameter are right	Use coordinates to prove simple geometric	and B are independent, the probability of A and B	commutative, associative, and distributive properties		
angles; the radius of a circle is perpendicular to the	theorems algebraically	occurring together is the product of their	to add, subtract, and multiply complex numbers.		
tangent where the radius intersects the circle.	MGSE9-12.G.GPE.4 Use coordinates to prove	probabilities, and that if the probability of two	MGSE9-12.N.CN.3 Find the conjugate of a		
MGSE9-12.G.C.3 Construct the inscribed and	simple geometric theorems algebraically. For	events A and B occurring together is the product of	complex number; use the conjugate to find the		
circumscribed circles of a triangle, and prove	example, prove or disprove that a figure defined by	their probabilities, the two events are independent. MGSE9-12.S.CP.3 Understand the conditional	absolute value (modulus) and quotient of complex		
properties of angles for a quadrilateral inscribed in a circle.	four given points in the coordinate plane is a notice plane is a formula that the point $(1, 2)^2$		numbers. Use complex numbers in polynomial identities		
MGSE9-12.G.C.4 Construct a tangent line from a	rectangle; prove or disprove that the point $(1, \sqrt{3})$ lies on the circle centered at the origin and	probability of A given B as P (A and B)/P(B). Interpret independence of A and B in terms of	and equations.		
point outside a given circle to the circle.	containing the point (0,2).	conditional probability; that is the conditional	MGSE9-12.N.CN.7 Solve quadratic equations with		
Find arc lengths and areas of sectors of circles	(Focus on quadrilaterals, right triangles, and circles.)	probability of A given B is the same as the	real coefficients that have complex solutions by (but		
MGSE9-12.G.C.5 Derive using similarity the fact	MGSE9-12.G.GPE.5 Prove the slope criteria for	probability of A and the conditional probability of B	not limited to) square roots, completing the square,		
that the length of the arc intercepted by an angle is	parallel and perpendicular lines and use them to	given A is the same as the probability of B.	and the quadratic formula.		
proportional to the radius, and define the radian	solve geometric problems (e.g., find the equation of	MGSE9-12.S.CP.4 Construct and interpret two-way	MGSE9-12.N.CN.8 Extend polynomial identities to		
measure of the angle as the constant of	a line parallel or perpendicular to a given line that	frequency tables of data when two categories are	include factoring with complex numbers. For		
proportionality; derive the formula for the area of a	passes through a given point).	associated with each object being classified. Use the	example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$.		
sector.	MGSE9-12.G.GPE.6 Find the point on a directed	two-way table as a sample space to decide if events	Solve equations and inequalities in one variable		
Explain volume formulas and use them to solve	line segment between two given points that	are independent and to approximate conditional	MGSE9-12.A.REI.4 Solve quadratic equations in		
problems	partitions the segment in a given ratio.	probabilities. For example, use collected data from	one variable.		
MGSE9-12.G.GMD.1 Give informal arguments for	MGSE9-12.G.GPE.7 Use coordinates to compute	a random sample of students in your school on their	MGSE9-12.A.REI.4b Solve quadratic equations by		
geometric formulas.	perimeters of polygons and areas of triangles and	favorite subject among math, science, and English.	inspection (e.g., for $x^2 = 49$), taking square roots,		
a. Give informal arguments for the formulas of the circumference of a circle and area of a	rectangles, e.g., using the distance formula. Apply geometric concepts in modeling situations	Estimate the probability that a randomly selected student from your school will favor science given	factoring, completing the square, and the quadratic		
circle using dissection arguments and informal	MGSE9-12.G.MG.1 Use geometric shapes, their	that the student is in tenth grade. Do the same for	formula, as appropriate to the initial form of the equation (limit to real number solutions).		
limit arguments.	measures, and their properties to describe objects	other subjects and compare the results.	Extend the properties of exponents to rational		
b. Give informal arguments for the formula of	(e.g., modeling a tree trunk or a human torso as a	MGSE9-12.S.CP.5 Recognize and explain the	exponents.		
the volume of a cylinder, pyramid, and cone	cvlinder).	concepts of conditional probability and	MGSE9-12.N.RN.1 Explain how the meaning of		
using Cavalieri's principle.	MGSE9-12.G.MG.2 Apply concepts of density	independence in everyday language and everyday	rational exponents follows from extending the		
MGSE9-12.G.GMD.2 Give an informal argument	based on area and volume in modeling situations	situations. For example, compare the chance of	properties of integer exponents to rational numbers,		
using Cavalieri's principle for the formulas for the	(e.g., persons per square mile, BTUs per cubic foot).	having lung cancer if you are a smoker with the	allowing for a notation for radicals in terms of		
volume of a sphere and other solid figures.	MGSE9-12.G.MG.3 Apply geometric methods to	chance of being a smoker if you have lung cancer.	rational exponents. For example, we define $5^{(1/3)}$ to		
MGSE9-12.G.GMD.3 Use volume formulas for	solve design problems (e.g., designing an object or	Use the rules of probability to compute	be the cube root of 5 because we want $[5^{(1/3)}]^3 =$		
cylinders, pyramids, cones, and spheres to solve	structure to satisfy physical constraints or minimize	probabilities of compound events in a uniform	$5^{[(1/3)x^3]}$ to hold, so $[5^{(1/3)}]^3$ must equal 5.		
problems.	cost; working with typographic grid systems based	probability model	MGSE9-12.N.RN.2 Rewrite expressions involving		
Visualize relationships between two-dimensional	on ratios).	MGSE9-12.S.CP.6 Find the conditional probability	radicals and rational exponents using the properties		
and three-dimensional objects		of A given B as the fraction of B's outcomes that	of exponents.		
Richard Woods, State School Superintendent					

MGSE9-12.G.GMD.4 Identify the shapes of two-	also belong to A, and interpret the answer in	
dimensional cross-sections of three-dimensional	context.	
objects, and identify three-dimensional objects	MGSE9-12.S.CP.7 Apply the Addition Rule, P(A	
generated by rotations of two-dimensional objects.	or B) = $P(A) + P(B) - P(A \text{ and } B)$, and interpret the	
	answers in context.	

Make sense of problems and persevere in solving them. Reason abstractly and quantitatively. Construct viable arguments and critique the reasoning of others. Model with mathematics. Unit 5 Unit 6	5 for Mathematical Practice 5 Use appropriate 6 Attend to precisi 7 Look for and ma 8 Look for and exp 2 nd Semester Unit 7	on. ke use of structure. press regularity in repeated reasoning.		
Reason abstractly and quantitatively. Construct viable arguments and critique the reasoning of others. Model with mathematics. Unit 5 Unit 6	6 Attend to precisi 7 Look for and ma 8 Look for and exp 2 nd Semester	on. ke use of structure. press regularity in repeated reasoning.		
Reason abstractly and quantitatively. Construct viable arguments and critique the reasoning of others. Model with mathematics. Unit 5 Unit 6	6 Attend to precisi 7 Look for and ma 8 Look for and exp 2 nd Semester	on. ke use of structure. press regularity in repeated reasoning.		
Construct viable arguments and critique the reasoning of others. Model with mathematics. Unit 5 Unit 6	7 Look for and ma 8 Look for and exp 2 nd Semester	ke use of structure. bress regularity in repeated reasoning.		
Unit 5 Unit 6	8 Look for and exp 2 nd Semester	press regularity in repeated reasoning.		
Unit 5 Unit 6	2 nd Semester			
	Unit 7			
	Uhit /		Unit 9	
erations With Polynomials Polynomial Functions R		Unit 8		
	ational & Radical	Exponential & Logarithms	Mathematical Modeling	
	Relationships			
	ational expressions	Write expressions in equivalent forms	Write expressions in equivalent forms	
lynomials Fundamental Theorem of Algebra to find MGSE9-1	2.A.APR.7 Understand that	to solve problems	to solve problems	
	pressions form a system	MGSE9-12.A.SSE.3 Choose and	MGSE9-12.A.SSE.4 Derive the formula	
Itiply polynomials; understand that <u>Interpret the structure of expressions</u> analogous	to the rational numbers, closed	produce an equivalent form of an	for the sum of a finite geometric series	
	ition, subtraction,	expression to reveal and explain	(when the common ratio is not 1), and	
	tion, and division by a nonzero	properties of the quantity represented by	use the formula to solve problems. For	
	pression; add, subtract,	the expression.	example, calculate mortgage payments.	
GSE9-12.A.APR.5 Know and apply MGSE9-12.A.SSE.1a Interpret parts of multiply, a	and divide rational expressions.	MGSE9-12.A.SSE.3c Use the properties	MGSE9-12.A.CED.1 Create equations	
	uations that describe	of exponents to transform expressions for	and inequalities in one variable and use	
	or relationships	exponential functions. For example, the	them to solve problems. Include	
	2.A.CED.1 Create equations	expression 1.15^t , where t is in years, can	equations arising from linear, quadratic,	
	alities in one variable and use	be rewritten as $[1.15^{(1/12)}]^{(12t)} \approx 1.012^{(12t)}$	simple rational, and exponential	
	lve problems. Include	to reveal the approximate equivalent	functions (integer inputs only).	
	arising from linear, quadratic,	monthly interest rate is 15%.	MGSE9-12.A.CED.2 Create linear,	
	ional, and exponential	Analyze functions using different	quadratic, and exponential equations in	
	(integer inputs only).	representations	two or more variables to represent	
	2.A.CED.2 Create linear.	MGSE9-12.F.IF.7 Graph functions	relationships between quantities; graph	
	and exponential equations in	expressed algebraically and show key	equations on coordinate axes with labels	
	re variables to represent	features of the graph both by hand and	and scales. (<i>The phrase "in two or more</i>	
	ips between quantities; graph	by using technology.	variables" refers to formulas like the	
	on coordinate axes with labels	MGSE9-12.F.IF.7e Graph exponential	compound interest formula, in which $A =$	
	. (Limit to rational and radical	and logarithmic functions, showing	$P(1 + r/n)^{nt}$ has multiple variables.)	
	The phrase "in two or more	intercepts and end behavior, and	MGSE9-12.A.CED.3 Represent	
	' refers to formulas like the	trigonometric functions, showing period,	constraints by equations or inequalities,	
	l interest formula, in which $A =$	midline, and amplitude.	and by systems of equations of mequantes,	
	nt has multiple variables.)	MGSE9-12.F.IF.8 Write a function	inequalities, and interpret data points as	
	nd solving equations as a	defined by an expression in different but	possible (i.e. a solution) or not possible	
	f reasoning and explain the	equivalent forms to reveal and explain	(i.e. a non-solution) under the established	
GSE9-12.F.BF.1b Combine standard of $p(x)$.		different properties of the function.	constraints.	
	2.A.REI.2 Solve simple	MGSE9-12.F.IF.8b Use the properties	MGSE9-12.A.CED.4 Rearrange	
	id radical equations in one	of exponents to interpret expressions for	formulas to highlight a quantity of	
	and give examples showing	exponential functions. For example,	interest using the same reasoning as in	
	neous solutions may arise.	<i>identify percent rate of change in</i>	solving equations. <i>Examples: Rearrange</i>	
	2.F.IF.4 Using tables, graphs,	functions such as $y = (1.02)^t$, $y = (0.97)^t$,	Solving equations. Examples. Rearrange Ohm's law $V = IR$ to highlight resistance	
	descriptions, interpret the key	$y = (1.01)^{(12t)}, y = (1.2)^{(t/10)}, and classify$	R; Rearrange area of a circle formula A	
	stics of a function which	$y = (1.01)^{-1}$, $y = (1.2)^{-1}$, and classify them as representing exponential growth	<i>K</i> ; <i>Rearrange area of a circle formula A</i> = πr^2 to highlight the radius <i>r</i> .	
	e relationship between two	and decay.	π r ⁻ to highlight the radius r. Represent and solve equations and	
		una aecuy.	inequalities graphically	
polynomial fuendates and use them	Sketch a graph showing key cluding: intercepts; interval	Build new functions from existing	MGSE9-12.A.REI.11 Using graphs,	
to describe numerical relationships.				
	function is increasing,	<u>functions</u> MGSE9-12.F.BF.5 Understand the	tables, or successive approximations, show that the solution to the equation	
ild new functions from existing	g, positive, or negative; relative	MG5E9-12.F.BF.5 Understand the	snow that the solution to the equation	

Richard Woods, State School Superintender July 2016 • Page 3 of 4 All Rights Reserved

INGSE9-12.F.BF.4Findinverse(2xy) ² can be used to generate pyhagorean triples. Interpret functions that arise in applications in terms of the context MGSE9-12.F.IF.4and verbal descriptions, interpret the key relations in terms of the context models. Farters et another.and verbal descriptions, interpret the key relations in terms of the context models. Farters et another.and verbal descriptions, interpret the key relations in terms of the context models. Farters et another.and verbal descriptions, interpret the key relations in terms of the context models. The protein that one function is that arise in applications in terms of the context models. MGSE9-12.F.IF.4 For exponential models. ecreasing, positive, or negative; relative and verbal descriptions, interpret functions that arise in applications in terms of the context models. The protein that one function is the relationship it describes. For example, if the function has an inverse of another.and verbal descriptions, interpret functions the relationship it describes. For example, if the function has an inverse.and verbal descriptions, interpret functions the context models. Construct and compare lineara. Eastmath the function has an inverse.and verbal descriptions, interpret functions the context models. Content and periodicity. Interpret functions that arise in applications in terms of the context models. Content and the function is sincerasing. MGSE9-12.F.IF.4 For exponential maives functions using different representationsand verbal descriptions, interpret functions the function. Analyze functions using different representationsand submit of applications of a function with and the functions. MGSE9-12.F.IF.7 Graph functions expressed algebraically	Georgia Department of Education						
expression for the inverse. For example, f(x) = 2(x ²) or f(x) = (x+1)/(x-1) for x ≠ 1. MGSE9-12.F.BF.4b Verify by composition that one function is the inverse of another. MGSE9-12.F.BF.4c Read values of an inverse function from a graph or a table, given that the function has an inverse. MGSE9-12.F.BF.4c Read values of an inverse function from a graph or a table, given that the function has an inverse. MGSE9-12.F.BF.7c Graph photholy by hand and by using technology. MGSE9-12.F.IF.7 Graph photonics is table factorizations are available, and showing end behavior.	functions. MGSE9-12.F.BF.4a Solve an equation of the form $f(x) = c$ for a simple function	identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples. Interpret functions that arise in applications in terms of the context	maximums and minimums; symmetries; end behavior; and periodicity. <u>Interpret functions that arise in</u> applications in terms of the context MGSE9-12.F.IF.5 Relate the domain of	inverse relationship between exponents and logarithms and use this relationship to solve problems involving logarithms and exponents. Construct and compare linear ,	Interpret functions that arise in applications in terms of the context MGSE9-12.F.IF.6 Calculate and		
using technology. Include recognizing	expression for the inverse. For example, $f(x) = 2(x^3)$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$. MGSE9-12.F.BF.4b Verify by composition that one function is the inverse of another. MGSE9-12.F.BF.4c Read values of an inverse function from a graph or a table,	MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; interval where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. <u>Analyze functions using different</u> <u>representations</u> MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7C Graph polynomial functions, identifying zeros when suitable factorizations are available, and	applicable, to the quantitative relationship it describes. For example, if the function h(n) gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function. <u>Analyze functions using different</u> representations MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7b Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. MGSE9-12.F.IF.7d Graph rational functions, identifying zeros and	solve problems MGSE9-12.F.LE.4 For exponential models, express as a logarithm the solution to $ab^{(ct)} = d$ where a, c, and d are numbers and the base b is 2, 10, or e;	MGSE9-12.F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one function and an algebraic expression for another, say which has the larger maximum. Build new functions from existing functions MGSE9-12.F.BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, k f(x), $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs		