GSE Algebra II/Advanced Algebra Curriculum Map						
1 <sup>st</sup> Semester			2 <sup>nd</sup> Semester			
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7
(3-4 weeks)	(3-4 weeks)	(4-5 weeks)	(5-6 weeks)	(4-5 weeks)	(4-5 weeks)	(3-4 weeks)
Quadratics	<b>Operations With</b>	Polynomial	<b>Rational &amp; Radical</b>	Exponential &	Mathematical	Inferences and
Revisited	Polynomials	Functions	Relationships	Logarithms	Modeling	Conclusions from
						Data
MGSE9-12.N.CN.1	MGSE9-12.A.APR.1	MGSE9-12.N.CN.9	MGSE9-12.A.APR.7	MGSE9-12.A.SSE.3	MGSE9-12.A.SSE.4	MGSE9-12.S.ID.2
MGSE9-12.N.CN.2	MGSE9-12.A.APR.5	MGSE9-12.A.SSE.1	MGSE9-12.A.CED.1	MGSE9-12.A.SSE.3c	MGSE9-12.A.CED.1	MGSE9-12.S.ID.4
MGSE9-12.N.CN.3	MGSE9-12.A.APR.6	MGSE9-12.A.SSE.1a	MGSE9-12.A.CED.2	MGSE9-12.F.IF.7	MGSE9-12.A.CED.2	MGSE9-12.S.IC.1
MGSE9-12.N.CN.7	MGSE9-12.F.BF.1	MGSE9-12.A.SSE.1b	MGSE9-12.A.REI.2	MGSE9-12.F.IF.7e	MGSE9-12.A.CED.3	MGSE9-12.S.IC.2
MGSE9-12.N.CN.8	MGSE9-12.F.BF.1b	MGSE9-12.A.SSE.2	MGSE9-12.F.IF.4	MGSE9-12.F.IF.8	MGSE9-12.A.CED.4	MGSE9-12.S.IC.3
MGSE9-12.A.REI.4	MGSE9-12.F.BF.1c	MGSE9-12.A.APR.2	MGSE9-12.F.IF.5	MGSE9-12.F.IF.8b	MGSE9-12.A.REI.11	MGSE9-12.S.IC.4
MGSE9-12.A.REI.4b	MGSE9-12.F.BF.4	MGSE9-12.A.APR.3	MGSE9-12.F.IF.7	MGSE9-12.F.BF.5	MGSE9-12.F.IF.6	MGSE9-12.S.IC.5
MGSE9-12.N.RN.1	MGSE9-12.F.BF.4a	MGSE9-12.A.APR.4	MGSE9-12.F.IF.7b	MGSE9-12.F.LE.4	MGSE9-12.F.IF.9	MGSE9-12.S.IC.6
MGSE9-12.N.RN.2	MGSE9-12.F.BF.4b	MGSE9-12.F.IF.4	MGSE9-12.F.IF.7d		MGSE9-12.F.BF.3	
	MGSE9-12.F.BF.4c	MGSE9-12.F.IF.7				
		MGSE9-12.F.IF.7c				
These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units.						

All units will include the Mathematical Practices and indicate skills to maintain.

\*Prioritized Standards are noted in RED\*

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics. Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension, MG = Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

## **Georgia Department of Education**

## Georgia Standards of Excellence Algebra II/Advanced Algebra Curriculum Map Rationale

<u>Unit1</u>: Students will revisit solving quadratic equations in this unit. Students explore relationships between number systems: whole numbers, integers, rational numbers, real numbers, and complex numbers. Students will perform operations with complex numbers and solve quadratic equations with complex solutions. Students will also extend the laws of exponents to rational exponents and use those properties to evaluate and simplify expressions containing rational exponents.

<u>Unit 2</u>: This unit develops the structural similarities between the system of polynomials and the system of integers. Students draw on analogies between polynomial arithmetic and base-ten computation, focusing on properties of operations, particularly the distributive property. Students connect multiplication of polynomials with multiplication of multi-digit integers, and division of polynomials with long division of integers. Students will find inverse functions and verify by composition that one function is the inverse of another function.

<u>Unit 3</u>: In this unit, students continue their study of polynomials by identifying zeros and making connections between zeros of a polynomial and solutions of a polynomial equation. Students will see how the Fundamental Theorem of Algebra can be used to determine the number of solutions of a polynomial equation and will find all the roots of those equations. Students will graph polynomial functions and interpret the key characteristics of the function.

<u>Unit 4</u>: Rational numbers extend the arithmetic of integers by allowing division by all numbers except 0. Similarly, rational expressions extend the arithmetic of polynomials by allowing division by all polynomials except the zero polynomial. A central theme of this unit is that the arithmetic of rational expressions is governed by the same rules as the arithmetic of rational numbers. Similarly, radical expressions follow the rules governed by irrational numbers.

<u>Unit 5</u>: Students extend their work with exponential functions to include solving exponential equations with logarithms. They analyze the relationship between these two functions.

**Unit 6**: In this unit students synthesize and generalize what they have learned about a variety of function families. They explore the effects of transformations on graphs of diverse functions, including functions arising in an application, in order to abstract the general principle that transformations on a graph always have the same effect regardless of the type of the underlying functions. They identify appropriate types of functions to model a situation, they adjust parameters to improve the model, and they compare models by analyzing appropriateness of fit and making judgments about the domain over which a model is a good fit. They determine whether it is best to model with multiple functions creating a piecewise function. Students will also explore the sum of finite geometric series.

<u>Unit 7</u>: In this unit, students see how the visual displays and summary statistics they learned in earlier grades relate to different types of data and to probability distributions. They identify different ways of collecting data— including sample surveys, experiments, and simulations—and the role that randomness and careful design play in the conclusions that can be drawn.

The pacing suggested on the curriculum map will allow students to gain a foundation in quadratics, polynomials, rational functions, radical functions, exponential functions, and logarithms before they begin the Mathematical Modeling unit. The Mathematical Modeling unit will bring these functions together and will introduce the sum of finite geometric series and piecewise functions. Students will have an opportunity to revisit many of these functions while working the tasks in unit 6. The course closes with the final unit discussing data and probability distributions.

Richard Woods, State School Superintendent July 2016 • Page 2 of 6 All Rights Reserved

GSE Algebra II/Advanced Algebra Expanded Curriculum Map – 1 <sup>st</sup> Semester					
Standards for Mathematical Practice					
1 Make sense of problems and persevere in solvi	ing them.	<b>5</b> Use appropriate tools strategically.			
<b>2</b> Reason abstractly and quantitatively.		<b>6</b> Attend to precision.			
3 Construct viable arguments and critique the rea	asoning of others.	7 Look for and make use of structure.			
<b>4</b> Model with mathematics.		8 Look for and express regularity in repeated rea	asoning.		
	1 <sup>st</sup> Ser	nester			
Unit 1	Unit 2	Unit 3	Unit 4		
Quadratics Revisited	<b>Operations With Polynomials</b>	<b>Polynomial Functions</b>	<b>Rational &amp; Radical Relationships</b>		
Perform arithmetic operations with	Perform arithmetic operations on	MGSE9-12.N.CN.9 Use the Fundamental	<b>Rewrite rational expressions</b>		
complex numbers.	polynomials	Theorem of Algebra to find all roots of a	MGSE9-12.A.APR.7 Understand that rational		
MGSE9-12.N.CN.1 Understand there is a	MGSE9-12.A.APR.1 Add, subtract, and	polynomial equation	expressions form a system analogous to the		
complex number i such that $i^2 = -1$ , and every	multiply polynomials; understand that	Interpret the structure of expressions	rational numbers, closed under addition,		
complex number has the form $a + bi$ where a	polynomials form a system analogous to the	MGSE9-12.A.SSE.1 Interpret expressions	subtraction, multiplication, and division by a		
and b are real numbers.	integers in that they are closed under these	that represent a quantity in terms of its	nonzero rational expression; add, subtract,		
<b>MGSE9-12.N.CN.2</b> Use the relation $i^2 = -1$	operations.	context.	multiply, and divide rational expressions.		
and the commutative, associative, and	MGSE9-12.A.APR.5 Know and apply that	MGSE9-12.A.SSE.1a Interpret parts of an	Create equations that describe numbers or		
distributive properties to add, subtract, and	the Binomial Theorem gives the expansion of	expression, such as terms, factors, and	<u>relationships</u>		
multiply complex numbers.	$(x + y)^n$ in powers of x and y for a positive	coefficients, in context.	MGSE9-12.A.CED.1 Create equations and		
MGSE9-12.N.CN.3 Find the conjugate of a	integer n, where x and y are any numbers, with	MGSE9-12.A.SSE.1b Given situations which	inequalities in one variable and use them to		
complex number; use the conjugate to find the	coefficients determined for example by	utilize formulas or expressions with multiple	solve problems. Include equations arising		
absolute value (modulus) and quotient of	Pascal's Triangle.	terms and/or factors, interpret the meaning (in	from <del>linear, quadratic,</del> simple rational, <del>and</del>		
complex numbers.	<b>Rewrite rational expressions</b>	context) of individual terms or factors.	exponential functions (integer inputs only).		
Use complex numbers in polynomial	MGSE9-12.A.APR.6 Rewrite simple rational	MGSE9-12.A.SSE.2 Use the structure of an	MGSE9-12.A.CED.2 Create linear, quadratic,		
identities and equations.	expressions in different forms using	expression to rewrite it in different equivalent	and exponential equations in two or more		
MGSE9-12.N.CN.7 Solve quadratic equations	inspection, long division, or a computer	forms. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$ ,	variables to represent relationships between		
with real coefficients that have complex	algebra system; write $a(x)/b(x)$ in the form	thus recognizing it as a difference of squares	quantities; graph equations on coordinate axes		
solutions by (but not limited to) square roots,	q(x) + r(x)/b(x), where $a(x)$ , $b(x)$ , $q(x)$ , and	that can be factored as $(x^2 - y^2) (x^2 + y^2)$ .	with labels and scales. (Limit to rational and		
completing the square, and the quadratic	r(x) are polynomials with the degree of $r(x)$	Understand the relationship between zeros	radical functions. The phrase "in two or more		
formula.	less than the degree of $b(x)$ .	and factors of polynomials	variables" refers to formulas like the		
MGSE9-12.N.CN.8 Extend polynomial	<b>Build a function that models a relationship</b>	MGSE9-12.A.APR.2 Know and apply the	compound interest formula, in which $A = P(1$		
identities to include factoring with complex	between two quantities	Remainder Theorem: For a polynomial p(x)	$(+ r/n)^{nt}$ has multiple variables.)		
numbers. For example, rewrite $x^2 + 4$ as $(x +$	MGSE9-12.F.BF.1 Write a function that	and a number a, the remainder on division by	Understand solving equations as a process		
2i)(x-2i).	describes a relationship between two	x - a is $p(a)$ , so $p(a) = 0$ if and only if $(x - a)$ is	of reasoning and explain the reasoning		
Solve equations and inequalities in one	quantities.	a factor of $p(x)$ .	MGSE9-12.A.REI.2 Solve simple rational		
variable	MGSE9-12.F.BF.1b Combine standard	MGSE9-12.A.APR.3 Identify zeros of	and radical equations in one variable, and give		
MGSE9-12.A.REI.4 Solve quadratic	function types using arithmetic operations in	polynomials when suitable factorizations are	examples showing how extraneous solutions		
equations in one variable.	contextual situations (Adding, subtracting, and	available, and use the zeros to construct a	may arise.		
MGSE9-12.A.REI.4b Solve quadratic	multiplying functions of different types).	rough graph of the function defined by the	MGSE9-12.F.IF.4 Using tables, graphs, and		
equations by inspection (e.g., for $x^2 = 49$ ),	MGSE9-12.F.BF.1c Compose functions. For	polynomial.	verbal descriptions, interpret the key		
taking square roots, factoring, completing the	example, if $T(y)$ is the temperature in the	Use polynomial identities to solve problems	characteristics of a function which models the		
square, and the quadratic formula, as	atmosphere as a function of height, and $h(t)$ is	MGSE9-12.A.APR.4 Prove polynomial	relationship between two quantities. Sketch a		
appropriate to the initial form of the equation	the height of a weather balloon as a function	identities and use them to describe numerical	graph showing key features including:		
(limit to real number solutions).	of time, then $T(h(t))$ is the temperature at the	relationships. For example, the polynomial	intercepts; interval where the function is		
Extend the properties of exponents to	location of the weather balloon as a function	<i>identity</i> $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be	increasing, decreasing, positive, or negative;		
rational exponents.	of time.	used to generate Pythagorean triples.	relative maximums and minimums;		

## **Georgia Department of Education**

Georgia Department of Education				
MGSE9-12.N.RN.1 Explain how the meaning	<b>Build new functions from existing functions</b>	Interpret functions that arise in	symmetries; end behavior; and periodicity.	
of rational exponents follows from extending	MGSE9-12.F.BF.4 Find inverse functions.	applications in terms of the context	Interpret functions that arise in	
the properties of integer exponents to rational	MGSE9-12.F.BF.4a Solve an equation of the	MGSE9-12.F.IF.4 Using tables, graphs, and	applications in terms of the context	
numbers, allowing for a notation for radicals	form $f(x) = c$ for a simple function f that has	verbal descriptions, interpret the key	MGSE9-12.F.IF.5 Relate the domain of a	
in terms of rational exponents. For example,	an inverse and write an expression for the	characteristics of a function which models the	function to its graph and, where applicable, to	
we define $5^{(1/3)}$ to be the cube root of 5	inverse. For example, $f(x) = 2(x^3)$ or $f(x) =$	relationship between two quantities. Sketch a	the quantitative relationship it describes. For	
because we want $[5^{(1/3)}]^3 = 5^{[(1/3) \times 3]}$ to hold,	$(x+1)/(x-1)$ for $x \neq 1$ .	graph showing key features including:	example, if the function $h(n)$ gives the number	
so $[5^{(1/3)}]^3$ must equal 5.	MGSE9-12.F.BF.4b Verify by composition	intercepts; interval where the function is	of person-hours it takes to assemble n engines	
MGSE9-12.N.RN.2 Rewrite expressions	that one function is the inverse of another.	increasing, decreasing, positive, or negative;	in a factory, then the positive integers would	
involving radicals and rational exponents	MGSE9-12.F.BF.4c Read values of an	relative maximums and minimums;	be an appropriate domain for the function.	
using the properties of exponents.	inverse function from a graph or a table, given	symmetries; end behavior; and periodicity.	Analyze functions using different	
	that the function has an inverse.	Analyze functions using different	representations	
		<u>representations</u>	MGSE9-12.F.IF.7 Graph functions expressed	
		MGSE9-12.F.IF.7 Graph functions expressed	algebraically and show key features of the	
		algebraically and show key features of the	graph both by hand and by using technology.	
		graph both by hand and by using technology.	MGSE9-12.F.IF.7b Graph square root, cube	
		MGSE9-12.F.IF.7c Graph polynomial	root, and piecewise-defined functions,	
		functions, identifying zeros when suitable	including step functions and absolute value	
		factorizations are available, and showing end	functions.	
		behavior.	MGSE9-12.F.IF.7d Graph rational functions,	
			identifying zeros and asymptotes when	
			suitable factorizations are available, and	
			showing end behavior.	

GSE Algebra II/Advanced Algebra Expanded Curriculum Map – 2 <sup>nd</sup> Semester				
<ol> <li>Make sense of problems and persevere in solving them.</li> <li>Reason abstractly and quantitatively.</li> <li>Construct viable arguments and critique the reasoning of othe</li> <li>Model with mathematics.</li> </ol>	8 Look for and express regularity in repeated reasoning.			
	2 <sup>nd</sup> Semester			
Unit 5	Unit 6	Unit 7		
Exponential & Logarithms	Mathematical Modeling	Inferences & Conclusions from Data		
Write expressions in equivalent forms to solve problemsMGSE9-12.A.SSE.3 Choose and produce an equivalent formof an expression to reveal and explain properties of thequantity represented by the expression.MGSE9-12.A.SSE.3 C Use the properties of exponents totransform expressions for exponential functions. For example,the expression 1.15', where t is in years, can be rewritten as $[1.15^{(1/2)}]^{(12)} \approx 1.012^{(12)}$ to reveal the approximate equivalentmonthly interest rate if the annual rate is 15%.Analyze functions using different representationsMGSE9-12.F.IF.7 Graph functions expressed algebraicallyand show key features of the graph both by hand and by usingtechnology.MGSE9-12.F.IF.7e Graph exponential and logarithmicfunctions, showing intercepts and end behavior, andamplitude.MGSE9-12.F.IF.8 Write a function defined by an expressionin different but equivalent forms to reveal and explain differentproperties of the function.MGSE9-12.F.IF.8b Use the properties of exponents tointerpret expressions for exponential functions. For example,identify percent rate of change in functions such as $y = (1.02)^t$ , $y = (0.97)^t$ , $y = (1.01)^{(12t)}$ , $y = (1.2)^{(t/10)}$ , and classify them asrepresenting exponential growth and decay.Build new functions from existing functionsMGSE9-12.F.BF.5 Understand the inverse relationshipbetween exponents and logarithms and use this relationshipbetween exponents and logarithms and use this relationshipbetween exponential growth and decay.Build new functions	Write expressions in equivalent forms to solve problemsMGSE9-12.A.SSE.4 Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments.MGSE9-12.A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear, quadratic, simple rational, and exponential functions (integer inputs only).MGSE9-12.A.CED.2 Create linear, quadratic, and exponential equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. (The phrase "in two or more variables" refers to formulas like the compound interest formula, in which $A = P(1 + r/n)^{nt}$ has multiple variables.)MGSE9-12.A.CED.3 Represent constraints by equations or inequalities, and by systems of equation and/or inequalities, and interpret data points as possible (i.e. a solution) or not possible (i.e. a non-solution) under the established constraints. MGSE9-12.A.CED.4 Rearrange formulas to highlight a quantity of interest using the same reasoning as in solving equations. Examples: Rearrange Ohm's law V = IR to highlight pheresistance R; Rearrange area of a circle formula A = $\pi r^2$ to highlight the radius r.Represent and solve equations and inequalities graphically MGSE9-12.A.REL11 Using graphs, tables, or successive approximations, show that the solution to the equation $f(x) =$ g(x) is the x-value where the y-values of f(x) and g(x) are the same.Interpret functions that arise in applications in terms of the contextMGSE9-12.F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of	<ul> <li>Summarize, represent, and interpret data on a single count or measurement variable</li> <li>MGSE9-12.S.ID.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, mean absolute deviation, standard deviation) of two or more different data sets.</li> <li>MGSE9-12.S.ID.4 Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve.</li> <li>Understand and evaluate random processes underlying statistical experiments</li> <li>MGSE9-12.S.IC.1 Understand statistics as a process for making inferences about population parameters based on a random sample from that population.</li> <li>MGSE9-12.S.IC.2 Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. For example, a model says a spinning coin falls heads up with probability 0. 5. Would a result of 5 tails in a row cause you to question the model?</li> <li>Make inferences and justify conclusions from sample surveys, experiments, and observational studies; explain how randomization relates to each.</li> <li>MGSE9-12.S.IC.4 Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.</li> <li>MGSE9-12.S.IC.5 Use data from a sample survey to extimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.</li> <li>MGSE9-12.S.IC.6 Evaluate reports based on data. For example, determining quantitative or categorical data; collection methods; biases or flaws in data.</li> </ul>		

## **Georgia Department of Education**

given a graph of one function and an algebraic expression for	
another, say which has the larger maximum.	
<b>Build new functions from existing functions</b>	
MGSE9-12.F.BF.3 Identify the effect on the graph of	
replacing $f(x)$ by $f(x) + k$ , k $f(x)$ , $f(kx)$ , and $f(x + k)$ for specific	
values of k (both positive and negative); find the value of k	
given the graphs. Experiment with cases and illustrate an	
explanation of the effects on the graph using technology.	
Include recognizing even and odd functions from their graphs	
and algebraic expressions for them.	

Richard Woods, State School Superintendent July 2016 • Page 6 of 6 All Rights Reserved